#### Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 1 / 10

Replaced revision:3 (Dated 15/12/2020)

ΕN

# Ecostick® 5019N

# Safety Data Sheet

Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ecostick® 5019N Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Adhesive

**Identified Uses** Industrial **Professional** Consumer

**Adhesive** 

1.3. Details of the supplier of the safety data sheet

INTERCOM S.R.L. Full address via della Gora, 13

District and Country 50025 Montespertoli (Florence)

Tel. +39 0571 671096 +39 0571 671151 Fax

e-mail address of the competent person

responsible for the Safety Data Sheet sds@intercomsas.it

1.4. Emergency telephone number

For urgent inquiries refer to AUSTRIA Vergiftunginformationszentrale +43 1 406 43 43

BELGIUM Centre Antipoisons-Antigifcentrum +32 30245245

BULGARIA National Toxicology Centre at National Clinical Toxicology Centre +359 2

9154 233

CROTIA Poison Control Centre Zagreb +385 1 2348342

CECH REPUBLIC Toxicological Information Centre + 420224919 293

DENMARK Poison Information Centre n +45 82 12 12 12 ESTONIA Estonian Poison Information centre +372 626 93 90 FINLAND Finnish Poison Information Centre +358 9 471977

FRANCE Centre Antipoison et de Toxicovigilance de Angers +33 2 41 35 33 30

HUNGARY Health Toxicology Information Service +36 80 20 11 99 IRELAND Poison Information Centre of Ireland +353 1 809 2166

LATVIA Valsts Toksikologijas centres + 371 67042473

LITHUANIA Lithuania Poison Control and Information Bureau +370 5 236 20 52

NORGE Giftinformasjonen: 22 59 13 00 (døgnåpen)

PORTUGAL CIAV Centro de Informação Antivelenos +351 808 250 143 SLOVAKIA National Toxicological Information Center +421 2 54 774 166

POLAND Informacja toksykogiczna w Polsce +48 42 631 47 24 (czynna 7:00-15:00)

SPAIN Istituto Nacional de Toxicologia +34 156 20420

ENGLAND NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24

24 24 (UK only)

THAILAND Ramathibodi Poison Center Hotline: 1367 Line ID: @rpc1367

## **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data

Hazard classification and indication:

sheet with appropriate information, compliant to (EU) Regulation 2015/830.

# 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

# Ecostick® 5019N

Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021

Page n. 2 / 10 Replaced revision:3 (Dated 15/12/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 2. Hazards identification .../>>

Hazard pictograms:

Signal words:

Hazard statements:

**EUH208** Contains: 1.2-Benzisothiazol-3 (2H) -one

2-methyl-2H-isothiazol-3-one

May produce an allergic reaction.

Precautionary statements:

P273 Avoid release to the environment.

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

# **SECTION 3. Composition/information on ingredients**

### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

Potassium salts of resinous acids

CAS 61790-50-9  $0,1 \le x < 1$ Eye Irrit. 2 H319

EC 263-142-4

INDEX

01-2119486885-17 Reg. no. Sodium salts of resinous acids

Eye Irrit. 2 H319 CAS 61790-51-0  $0,1 \le x < 1$ 

EC 263-144-5

INDEX

Rea. no. 01-2119486963-21

ZINC OXIDE

CAS  $0.1 \le x < 1$ Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 1314-13-2

EC 215-222-5 INDEX 030-013-00-7 01-2119463881-32 Reg. no.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

# 4.3. Indication of any immediate medical attention and special treatment needed

@ EPY 10.5.2 - SDS 1004.13

#### Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 3 / 10

Replaced revision:3 (Dated 15/12/2020)

# **Ecostick® 5019N**

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

Information not available

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat

# 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

# 7.3. Specific end use(s)

Information not available

@ EPY 10.5.2 - SDS 1004.13

# Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 4 / 10 Replaced revision:3 (Dated 15/12/2020)

ΕN

# Ecostick® 5019N

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

# **SECTION 8. Exposure controls/personal protection**

## 8.1. Control parameters

Regulatory References:

DEU Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. Deutschland

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Arbeitsstoffe, Mitteilung 56

**ESP** Límites de exposición profesional para agentes químicos en España 2019 España

France Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS **FRA** 

TLV-ACGIH

			Sodium salts of	f resinous acids			
Predicted no-effect cor	centration - P	NEC					
Normal value in fresh	water				0,0016	mg/l	
Normal value in marir	ne water				0,00016	mg/l	
Normal value for fresl	n water sedime	nt			0,007	mg/kg/d	
Normal value for mar	ne water sedim	nent			0,0007	mg/kg/d	
Normal value for water	,				0,016	mg/l	
Normal value of STP	Normal value of STP microorganisms				1000	mg/l	
Normal value for the terrestrial compartment					0,00045	mg/kg/d	
Health - Derived no-effect level - DNEL / DMEL							
Effects on consumers			Effects on workers				
Route of exposure	Acute local	Acute	Chronic local	Chronic systemacute local	Acute	Chronic lo	calChronic
		systemic			systemic		systemic
Inhalation						10	VND
						mg/m3	
Skin						VND	2,131
							mg/kg bw/d

		Potassium salts	of resinous acids			
Predicted no-effect con	centration - PNEC					
Normal value in fresh	water			0,0016	mg/l	
Normal value in marin	ne water			0,00016	mg/l	
Normal value for fresh	n water sediment			0,007	mg/kg	
Normal value for mari	ne water sediment			0,0007	mg/kg	
Normal value for wate	r, intermittent release			0,016	mg/l	
Normal value of STP	microorganisms			1000	mg/l	
Health - Derived no-effe	ect level - DNEL / DMEL					
	Effects on consumers	Effects on workers				
Route of exposure	Acute local Acute	Chronic local	Chronic systemacute local	Acute	Chronic Ic	calChronic
	systemic			systemic		systemic
Inhalation					10	VND
					mg/m3	
Skin					VND	2,131
						mg/kg bw/d

ZINC OXIDE						
Threshold Limit Value						
Type	Country	TWA/8h		STEL/15	min	Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	DEU	2		4		INHAL
MAK	DEU	0,1		0,4		RESP
VLA	ESP	2		10		
VLEP	FRA	5				
TLV-ACGIH		2		10		

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

# 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well

# Ecostick® 5019N

Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 5 / 10 Replaced revision:3 (Dated 15/12/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

#### SECTION 8. Exposure controls/personal protection ..../>>

aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION** 

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

**ENVIRONMENTAL EXPOSURE CONTROLS** 

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Properties** Value Information

1500 mPas

Not available

Not available

Appearance liquid Colour white Odour characteristic Not available Odour threshold

рΗ 10

Melting point / freezing point Not available Initial boiling point 100 °C Boiling range Not available Not applicable Flash point Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure 23 hPa at 20°C Vapour density Not available Relative density 1.07 g/cm3 Not available Solubility Partition coefficient: n-octanol/water Not available Not available Auto-ignition temperature Decomposition temperature Not available

9.2. Other information

Explosive properties

Oxidising properties

VOC (Directive 2010/75/EC): 0.40 % - 4.30 g/litre

# **SECTION 10. Stability and reactivity**

# 10.1. Reactivity

Viscosity

There are no particular risks of reaction with other substances in normal conditions of use.

@ EPY 10.5.2 - SDS 1004.13

#### Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 6 / 10

Page n. 6 / 10 Replaced revision:3 (Dated 15/12/2020)

# **Ecostick® 5019N**

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 10. Stability and reactivity .../>>

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

**ACUTE TOXICITY** 

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

Potassium salts of resinous acids

LD50 (Oral) 2000 mg/kg rat LD50 (Dermal) 2000 mg/kg

Sodium salts of resinous acids

 LD50 (Oral)
 2000 mg/kg rat

 LD50 (Dermal)
 2000 mg/kg

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

@ EPY 10.5.2 - SDS 1004.13

# EN

# **Ecostick® 5019N**

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

# **SECTION 11. Toxicological information** .../>>

1,2-Benzisothiazol-3 (2H) -one 2-methyl-2H-isothiazol-3-one

#### **GERM CELL MUTAGENICITY**

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### **ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

#### 12.1. Toxicity

ZINC OXIDE

LC50 - for Fish 1,1 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 1,7 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,14 mg/l/72h Pseudokirchnerella subcapitata

Potassium salts of resinous acids

LC50 - for Fish 5,4 mg/l/96h
EC50 - for Algae / Aquatic Plants 39,6 mg/l/72h
Chronic NOEC for Fish 0,625 mg/l
Chronic NOEC for Algae / Aquatic Plants 6,25 mg/l

Sodium salts of resinous acids

LC50 - for Fish 3 mg/l/96h
EC50 - for Algae / Aquatic Plants 39,6 mg/l/72h
Chronic NOEC for Fish 0,625 mg/l
Chronic NOEC for Algae / Aquatic Plants 6,25 mg/l

# 12.2. Persistence and degradability

ZINC OXIDE

Solubility in water 2,9 mg/l

Degradability: information not available

#### 12.3. Bioaccumulative potential

ZINC OXIDE

BCF > 175

# 12.4. Mobility in soil

Information not available

@EPY 10.5.2 - SDS 1004.13

# Ecostick® 5019N

Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 8 / 10

Replaced revision:3 (Dated 15/12/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 12. Ecological information .../>>

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

# 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

# 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

<u>Product</u> Point

Contained substance

ZINC OXIDE 75 Point

40

@ EPY 10.5.2 - SDS 1004.13

#### Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 9 / 10

Page n. 9 / 10 Replaced revision:3 (Dated 15/12/2020) ΕN

# **Ecostick® 5019N**

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 15. Regulatory information .../>>

		Reg. no.: 01-2119463881-32
Point	75	POTASSIUM HYDROXIDE
		Reg. no.: 01-2119487136-33
Point	75	1,2-Benzisothiazol-3 (2H) -one
Point	75	Distillates (petroleum), hydrotreated light naphthenic
		Reg. no.: 01-2119480375-34
Point	75	Distillates (petroleum), hydrotreated heavy naphthenic
		Reg. no.: 01-2119467170-45
Point	75	2-chlorobuta-1,3-diene
Point	75	2-BROMO-2-NITROPROPAN-1,3-DIOL
Point	75	SODIUM HYDROXIDE
		Reg. no.: 01-2119457892-27

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

ZINC OXIDE

Reg. no.: 01-2119463881-32

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

# 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2 Eye irritation, category 2

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H319 Causes serious eye irritation.H400 Very toxic to aquatic life.

**H410** Very toxic to aquatic life with long lasting effects.

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level

@ EPY 10.5.2 - SDS 1004.13

# **Ecostick® 5019N**

Revision nr.4 Dated 13/04/2021 Printed on 16/04/2021 Page n. 10 / 10 Replaced revision:3 (Dated 15/12/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

## SECTION 16. Other information .../>>

- PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

# CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 13 / 15.