Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 1 / 10 Replaced revision:2 (Dated 08/09/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830 SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Ecostick® 9015ST Product name 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Adhesive **Identified Uses** Industrial Professional Consumer 1.3. Details of the supplier of the safety data sheet INTERCOM S.R.L. Full address via della Gora, 13 District and Country 50025 Montespertoli (Florence) Italy Tel. +39 0571 671096 +39 0571 671151 Fax e-mail address of the competent person responsible for the Safety Data Sheet sds@intercomsas.it 1.4. Emergency telephone number For urgent inquiries refer to AUSTRIA Vergiftunginformationszentrale +43 1 406 43 43 BELGIUM Centre Antipoisons-Antigifcentrum +32 30245245 BULGARIA National Toxicology Centre at National Clinical Toxicology Centre +359 2 9154 233 CROTIA Poison Control Centre Zagreb +385 1 2348342 CECH REPUBLIC Toxicological Information Centre + 420224919 293 DENMARK Poison Information Centre n +45 82 12 12 12 ESTONIA Estonian Poison Information centre +372 626 93 90 FINLAND Finnish Poison Information Centre +358 9 471977 FRANCE Centre Antipoison et de Toxicovigilance de Angers +33 2 41 35 33 30

HUNGARY Health Toxicology Information Service +36 80 20 11 99 IRELAND Poison Information Centre of Ireland +353 1 809 2166

PORTUGAL CIAV Centro de Informacao Antivelenos +351 808 250 143 SLOVAKIA National Toxicological Information Center +421 2 54 774 166

THAILAND Ramathibodi Poison Center Hotline: 1367 Line ID: @rpc1367

LITHUANIA Lithuania Poison Control and Information Bureau +370 5 236 20 52

POLAND Informacja toksykogiczna w Polsce +48 42 631 47 24 (czynna 7:00-15:00)

ENGLAND NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24

LATVIA Valsts Toksikologijas centres + 371 67042473

NORGE Giftinformasjonen : 22 59 13 00 (døgnåpen)

SPAIN Istituto Nacional de Toxicologia +34 156 20420

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.

24 24 (UK only)

Hazard classification and indication:

2.2. Label elements

Adhesive

Name

ΕN

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 2 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sh	eet Conforms to Regulation No.2015/830	(EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU)
SECTION 2. Ha	azards identification / >>	
Hazard pictog	ams:	
Signal words:		
Hazard statem EUH208	ients: Contains: May produce an alle	1,2-Benzisothiazol-3 (2H) -one 2-methyl-2H-isothiazol-3-one ergic reaction.
Precautionary	statements:	
2.3. Other hazar On the basis c		s not contain any PBT or vPvB in percentage ≥ than 0,1%.
SECTION 2	Composition/informat	ion on ingradianta
SECTION 3.	Composition/informat	tion on ingredients
3.1. Substances		
Information no	t relevant	
3.2. Mixtures		
Contains:		
Identification	x = Conc. %	Classification 1272/2008 (CLP)
Sodium salts CAS EC INDEX Reg. no.	of resinous acids 61790-51-0 1 ≤ x < 1,5 263-144-5 01-2119486963-21	Eye Irrit. 2 H319
Potassium sa CAS EC INDEX	l ts of resinous acids 61790-50-9 1 ≤ x < 1,5 263-142-4	Eye Irrit. 2 H319
Reg. no.	01-2119486885-17	
The full wordin	g of hazard (H) phrases is given i	n section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 3 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 4 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

			Potassium salts	of resinous acids			
redicted no-effect cor		NEC					
Normal value in fresh	water				0,0016	mg/l	
Normal value in marine water				0,00016	mg/l		
Normal value for fres	n water sedime	nt			0,007	mg/kg	
Normal value for mar	ine water sedim	ient			0,0007	mg/kg	
Normal value for wate	er, intermittent r	elease			0,016	mg/l	
Normal value of STP	microorganism	s			1000	mg/l	
lealth - Derived no-effe	ect level - DNE	L/DMEL					
	Effects on co	onsumers		Effects on w	orkers		
Route of exposure	Acute local	Acute	Chronic local	Chronic system Acute local	Acute	Chronic loc	calChronic
		systemic			systemic		systemic
Inhalation						10	VND
						mg/m3	
Skin						VND	2,131
							mg/kg bw/d
			Sodium salts o	f resinous acids			
Predicted no-effect cor		NEC			0.0010		
Normal value in fresh	mater				0,0016	mg/l	
Normal value in marin					0,00016	mg/l	
Normal value for fres					0,007	mg/kg/d	
Normal value for mar					0,0007	mg/kg/d	
Normal value for wate					0,016	mg/l	
Normal value of STP	0				1000	mg/l	
Normal value for the					0,00045	mg/kg/d	
lealth - Derived no-effe	ect level - DNE	L/DMEL					
Effects on consumers			Effects on w	orkers			

Route of exposure	Acute local Acute	Chronic local Chronic systemacute local	Acute	Chronic lo	calChronic
	systemic		systemic		systemic
Inhalation				10 mg/m3	VND
Skin				VND	2,131 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 5 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 8. Exposure controls/personal protection / >>

compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	white	
Odour	characteristic	
Odour threshold	Not available	
рН	9	
Melting point / freezing point	Not available	
Initial boiling point	100 °C	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation rate	Not available	
Flammability (solid, gas)	not applicable	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	23 hPa at 20°C	
Vapour density	Not available	
Relative density	1 g/cm3 at 20°C	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	ca. 1500 mPas	
Explosive properties	Not available	
Oxidising properties	Not available	
9.2. Other information		
Total solids (250°C / 482°F)	50,00 %	
VOC (Directive 2010/75/EC) :	0	

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 6 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

Information not available

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> Potassium salts of resinous acids LD50 (Oral) LD50 (Dermal)

2000 mg/kg rat 2000 mg/kg

Not classified (no significant component)

Not classified (no significant component)

Not classified (no significant component)

Sodium salts of resinous acids LD50 (Oral) LD50 (Dermal)

2000 mg/kg rat 2000 mg/kg

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3 (2H) -one 2-methyl-2H-isothiazol-3-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 7 / 10 Replaced revision:2 (Dated 08/09/2020) ΕN

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 11. Toxicological information .../>>

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

12.1. Toxicity

Potassium salts of resinous acids	
LC50 - for Fish	5,4 mg/l/96h
EC50 - for Algae / Aquatic Plants	39,6 mg/l/72h
Chronic NOEC for Fish	0,625 mg/l
Chronic NOEC for Algae / Aquatic Plants	6,25 mg/l
Sodium salts of resinous acids I C50 - for Fish	2 mg///06b
	3 mg/l/96h
EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish	39,6 mg/l/72h
	0,625 mg/l
Chronic NOEC for Algae / Aquatic Plants	6,25 mg/l

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 8 / 10 Replaced revision:2 (Dated 08/09/2020)

Safety Data Sheet Conforms No.2015/8	ns to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation 5/830	(EU)
SECTION 14. Transport infor		
14.2. UN proper shipping name	10	
Not applicable		
14.3. Transport hazard class(es)	es)	
Not applicable		
14.4. Packing group		
Not applicable		
14.5. Environmental hazards		
Not applicable		
14.6. Special precautions for us	user	
Not applicable		
14.7. Transport in bulk accordin	ding to Annex II of Marpol and the IBC Code	
Information not relevant		
SECTION 15. Regulator	ory information	
15.1. Safety, health and environ	onmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 20	2012/18/EC: None	
Restrictions relating to the prod Product Point 40	roduct or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
<u>Substances in Candidate List (</u> On the basis of available data,	<u>et (Art. 59 REACH)</u> a, the product does not contain any SVHC in percentage ≥ than 0,1%.	
Substances subject to authoris	risation (Annex XIV REACH)	
Substances subject to exportat None	tation reporting pursuant to (EC) Reg. 649/2012:	
Substances subject to the Rotte None	otterdam Convention:	
Substances subject to the Stoc None	ockholm Convention:	
Healthcare controls Information not available		
15.2. Chemical safety assessme	nent	
A chemical safety assessment I	nt has not been performed for the preparation/for the substances indicated in section 3.	
SECTION 16. Other info	formation	
Text of hazard (H) indications m	s mentioned in section 2-3 of the sheet:	
Eye Irrit. 2 H319	Eye irritation, category 2 Causes serious eye irritation.	
LEGEND: - ADR: European Agreement co	concerning the carriage of Dangerous goods by Road	

ΕN

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 9 / 10 Replaced revision:2 (Dated 08/09/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 16. Other information ... / >>

- CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/521 (XII)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Ecostick® 9015ST

Revision nr.3 Dated 15/12/2020 Printed on 16/04/2021 Page n. 10 / 10 Replaced revision:2 (Dated 08/09/2020)

Safety Data Sheet Conforms to Regulation (EC) No.1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) No.2015/830

SECTION 16. Other information ... / >>

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02.